



Bearing No. RCJT55

J	184 mm
A	43,5 mm
N	18 mm
L	134 mm
H	222 mm
U	74,6 mm
V	134 mm
d	55 mm
d3	76 mm
A1	15 mm
B1	71,4 mm
A2	31 mm
Noun	Bearing
Bore	2.165 Inch 55 Millimeter
Seals	Double Land Riding Rubber Contact
Weight	2,92 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	7.244 Inch 184 Millimeter
Weight / LBS	8.6
Inch - Metric	Metric
Housing Style	2 Bolt Flange Block
Product Group	M06110
Bearing number	RCJT55
Relubricatable	Yes
Keyword String	Flanged

Other Features	Single Row With Set Screw
Mounting Bolts	17 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Manufacturer URL	http://www.ina.com
Housing Material	Cast Iron
Long Description	2 Bolt Flange Block; 55MM Bore; 184MM Bolt Circle; 184MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 71.4MM Length Thru Bore; Relubricatable; Double Land Riding Rubbe
Length Thru Bore	2.811 Inch 71.4 Millimeter
Weight / Kilogram	3.497
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GE55KRRB
Bore Diameter (mm)	55
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Cartridge Pilot Depth	0 Inch 0 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RCJT55
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	43,5 kN

Nominal Bolt Circle Diameter Round	7.2 Inch 184 Millimeter
---------------------------------------	---------------------------