



Bearing No. RCJT70

J	216 mm
A	57 mm
N	21 mm
L	160 mm
H	258 mm
U	82,6 mm
V	160 mm
d	70 mm
d3	96 mm
A1	18 mm
B1	66 mm
A2	38 mm
Noun	Bearing
Bore	2.756 Inch   70 Millimeter
Seals	Double Land Riding Rubber Contact
Weight	6,15 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	8.504 Inch   216 Millimeter
Weight / LBS	13.561
Inch - Metric	Metric
Housing Style	2 Bolt Flange Block
Product Group	M06110
Bearing number	RCJT70
Relubricatable	Yes
Keyword String	Flanged

Other Features	Single Row   With Set Screw
Mounting Bolts	21 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Housing Material	Cast Iron
Long Description	2 Bolt Flange Block; 70MM Bore; 215MM Bolt Circle; 216MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 66.1MM Length Thru Bore; Relubricatable; Double Land Riding Rubbe
Length Thru Bore	2.602 Inch   66.1 Millimeter
Weight / Kilogram	7.209
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GE70KRRB
Bore Diameter (mm)	70
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Cartridge Pilot Depth	0 Inch   0 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RCJT70
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	62 kN

Nominal Bolt Circle Diameter Round	8.5 Inch   215 Millimeter
------------------------------------	---------------------------