



**Bearing No. RCJTA40-N**

J	143,5 mm
N	14 mm
d	40 mm
V	105 mm
U	51 mm
A	34,5 mm
H	172 mm
L	105 mm
d3	58 mm
A1	13 mm
B1	38 mm
A2	24 mm
Noun	Bearing
Bore	1.575 Inch   40 Millimeter
Seals	Double Land Riding Rubber Contact
Weight	1,46 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	5.65 Inch   143.5 Millimeter
Weight / LBS	3.219
Inch - Metric	Metric
Housing Style	2 Bolt Flange Block
Product Group	M06110
Bearing number	RCJTA40-N
Relubricatable	Yes
Keyword String	Flanged

Other Features	Single Row   End Cap
Mounting Bolts	14 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Adapter Sleeve
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Housing Material	Cast Iron
Long Description	2 Bolt Flange Block; 40MM Bore; 143.5MM Bolt Circle; 143.5MM Bolt Spacing; 1 Piece Solid; Adapter Sleeve Mount; Cast Iron; Ball Bearing; 38MM Length Thru Bore; Relubricatable; Double Land Riding Rubbe
Length Thru Bore	1.496 Inch   38 Millimeter
Weight / Kilogram	1.46
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GSH40-2RSRB
Bore Diameter (mm)	40
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Cartridge Pilot Depth	0 Inch   0 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RCJTA40N
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	29,5 kN

Nominal Bolt Circle Diameter Round	5.6 Inch   143.5 Millimeter
---------------------------------------	--------------------------------