



Bearing No. RCJTY30-N

N	11,5 mm
d	30 mm
V	80 mm
U	42,2 mm
A	29 mm
B	38,1 mm
H	142 mm
J	116,5 mm
L	80 mm
A1	12 mm
A2	20 mm
Noun	Bearing
Bore	1.181 Inch 30 Millimeter
Seals	Double Land Riding Rubber Contact
Weight	0,88 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	4.587 Inch 116.5 Millimeter
Weight / LBS	2.205
Housing Style	2 Bolt Flange Block
Inch - Metric	Metric
Product Group	M06110
Bearing number	RCJTY30-N
Other Features	Single Row With Grub Screw
Keyword String	Flanged

Relubricatable	Yes
Mounting Bolts	11.5 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Set Screw
Length Thru Bore	1.5 Inch 38.1 Millimeter
Housing Material	Cast Iron
Long Description	2 Bolt Flange Block; 30MM Bore; 117MM Bolt Circle; 116.5MM Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 38.1MM Length Thru Bore; Relubricatable; Double Land Riding Rubber Con
Manufacturer URL	http://www.ina.com
Weight / Kilogram	0.88
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GYE30KRRB
Bore Diameter (mm)	30
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Cartridge Pilot Depth	0 Inch 0 Millimeter
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	2
Manufacturer Item Number	RCJTY30
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	19,5 kN
Nominal Bolt Circle	4.6 Inch 117 Millimeter

Diameter Round	
----------------	--