



Bearing No. RCJTY65-214

d	65 mm
V	160 mm
U	82,4 mm
A	57 mm
B	74,6 mm
H	258 mm
J	216 mm
L	160 mm
N	21 mm
A2	38 mm
A1	18 mm
Bore	2.559 Inch 65 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
Weight	5,95 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	8.504 Inch 216 Millimeter
Weight / LBS	13.12
Product Group	M06110
Inch - Metric	Metric
Housing Style	2 Bolt Flange Block
Relubricatable	Yes
Keyword String	Flanged
Other Features	Single Row Radial Metric With Grub Screw

Bearing number	RCJTY65-214
Mounting Bolts	21 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Set Screw
Manufacturer URL	http://www.ina.com
Long Description	2 Bolt Flange Block; 65MM Bore; 215MM Bolt Circle; 216MM Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 74.6MM Length Thru Bore; Relubricatable; Double Land Riding Rubber Conta
Length Thru Bore	2.937 Inch 74.6 Millimeter
Housing Material	Cast Iron
Weight / Kilogram	7.317
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	65
Insert Part Number	GYE65KRRB
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	2
Manufacturer Item Number	RCJTY65
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	62 kN
Nominal Bolt Circle Diameter Round	8.5 Inch 215 Millimeter

