



Bearing No. RCJTY75

d	75 mm
V	160 mm
U	82,5 mm
A	57 mm
B	77,8 mm
H	258 mm
J	216 mm
L	160 mm
N	21 mm
A2	38 mm
A1	18 mm
Bore	2.953 Inch 75 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
UNSPSC	31171501
Weight	5,53 Kg
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	12.21
Bolt Spacing	8.504 Inch 216 Millimeter
Product Group	M06110
Housing Style	2 Bolt Flange Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Flanged
Other Features	Single Row With Grub Screw

Bearing number	RCJTY75
Mounting Bolts	21 Millimeter
Mounting Method	Set Screw
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Manufacturer URL	http://www.ina.com
Length Thru Bore	3.063 Inch 77.8 Millimeter
Long Description	2 Bolt Flange Block; 75MM Bore; 215MM Bolt Circle; 216MM Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 77.8MM Length Thru Bore; Relubricatable; Double Land Riding Rubber Conta
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	7.041
Bore Diameter (mm)	75
Insert Part Number	GYE75KRRB
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Cartridge Pilot Depth	0 Inch 0 Millimeter
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	2
Manufacturer Item Number	RCJTY75
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	62 kN

Nominal Bolt Circle Diameter Round	8.5 Inch 215 Millimeter
---------------------------------------	---------------------------