



Bearing No. RCJTZ35

N	14 mm
d	35 mm
V	94 mm
U	49,3 mm
Z	90 mm
A	26,5 mm
H	155 mm
J	130 mm
L	94 mm
A2	17 mm
T1	4 mm
d3	51 mm
A1	12,5 mm
B1	51,3 mm
Noun	Bearing
Bore	1.378 Inch 35 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171501
Weight	1,22 Kg
Category	Flange Block
Inventory	40.0
Thread (Q)	Rp1/8
Weight / LBS	2.69
Bolt Spacing	5.118 Inch 130 Millimeter
Product Group	M06110
Housing Style	2 Bolt Flange Block
Inch - Metric	Metric
Relubricatable	Yes

Keyword String	Flanged
Other Features	Single Row Centering Spigot With Set Screw
Bearing number	RCJTZ35
Mounting Bolts	14 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Manufacturer URL	http://www.ina.com
Length Thru Bore	2.012 Inch 51.1 Millimeter
Long Description	2 Bolt Flange Block; 35MM Bore; 130MM Bolt Circle; 130MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 51.1MM Length Thru Bore; Relubricatable; Double Land Riding Rubbe
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	1.509
Insert Part Number	GE35KRRB
Bore Diameter (mm)	35
Pilot Configuration	With Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Cartridge Pilot Depth	0.157 Inch 4 Millimeter
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	2
Manufacturer Item Number	RCJTZ35
Cartridge Pilot Diameter	3.543 Inch 90 Millimeter

Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	25,5 kN
Nominal Bolt Circle Diameter Round	5.1 Inch 130 Millimeter