



Bearing No. RCJTZ40

J	143,5 mm
d	40 mm
V	105 mm
U	54,9 mm
N	14 mm
L	105 mm
Z	100 mm
H	172 mm
A	30,5 mm
B1	56,5 mm
A2	20 mm
A1	13 mm
d3	58 mm
T1	4 mm
Bore	1.575 Inch 40 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
Weight	1,6 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	5.65 Inch 143.5 Millimeter
Weight / LBS	3.726
Housing Style	2 Bolt Flange Block
Inch - Metric	Metric
Product Group	M06110
Bearing number	RCJTZ40

Other Features	Single Row Centering Spigot With Set Screw
Keyword String	Flanged
Relubricatable	Yes
Mounting Bolts	14 Millimeter
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Manufacturer URL	http://www.ina.com
Length Thru Bore	2.217 Inch 56.3 Millimeter
Housing Material	Cast Iron
Long Description	2 Bolt Flange Block; 40MM Bore; 144MM Bolt Circle; 143.5MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 56.3MM Length Thru Bore; Relubricatable; Double Land Riding Rub
Weight / Kilogram	1.69
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GE40KRRB
Bore Diameter (mm)	40
Pilot Configuration	With Pilot
Minimum Buy Quantity	N/A
Cartridge Pilot Depth	0.157 Inch 4 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	2
Manufacturer Item Number	RCJTZ40
Cartridge Pilot Diameter	3.937 Inch 100 Millimeter

Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	32,5 kN
Nominal Bolt Circle Diameter Round	5.7 Inch 144 Millimeter