



**Bearing No. RCJTZ50**

N	14 mm
d	50 mm
V	116 mm
U	62,1 mm
Z	105 mm
A	35 mm
H	190 mm
J	157 mm
L	116 mm
A2	24 mm
T1	4 mm
d3	69 mm
A1	13 mm
B1	62,8 mm
Noun	Bearing
Bore	1.969 Inch   50 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171501
Weight	2,21 Kg
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	4.873
Bolt Spacing	6.181 Inch   157 Millimeter
Product Group	M06110
Housing Style	2 Bolt Flange Block
Inch - Metric	Metric
Relubricatable	Yes

Keyword String	Flanged
Other Features	Single Row   Centering Spigot   With Set Screw
Bearing number	RCJTZ50
Mounting Bolts	14 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Length Thru Bore	2.469 Inch   62.7 Millimeter
Long Description	2 Bolt Flange Block; 50MM Bore; 157MM Bolt Circle; 157MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 62.7MM Length Thru Bore; Relubricatable; Double Land Riding Rubbe
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	2.21
Insert Part Number	GE50KRRB
Bore Diameter (mm)	50
Pilot Configuration	With Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Cartridge Pilot Depth	0.157 Inch   4 Millimeter
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	2
Manufacturer Item Number	RCJTZ50
Cartridge Pilot Diameter	4.134 Inch   105 Millimeter

Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	35 kN
Nominal Bolt Circle Diameter Round	6.2 Inch   157 Millimeter