



Bearing No. NUP317EM

S	2 mm
D	180 mm
r	3
C	41 mm
B	41 mm
d	85 mm
Fw	108 mm
D_	180
rb	2.5
B_	41
ra	2.5
C0	330
r1	3
da	98
Z_	14
DE_	160
DA_	26
DI_	108
mass	5.43
SDM_	134
SBRG	3
yobi	NUP317EM
KBRG	4165
LangID	1
r min.	3 mm
db max	105
dd min	119
Db max	167 mm
ALPHA_	0
db min	98 mm

C_conv	291000
Weight	5,26 Kg
dc min	110
TSR rpm	4000
D_a max	167
GRS rpm	3400
hidYobi	NUP317EM
Oil rpm	4000
ra max.	2,5 mm
r1 min.	3 mm
da min.	98 mm
Da max.	167 mm
db max.	105 mm
rb max.	2,5 mm
Category	Bearings
hidTable	ecat_NSCLDR
Macha rpm	6700
Size (mm)	85x180x41
Inventory	0.0
Width (mm)	41
Prod_Type3	CRB_SR_NUP
Product Group	B04144
Bearing number	NUP317EM
Manufacturer Name	NSK
Weight / Kilogram	4.6
Bore Diameter (mm)	85
Outer Diameter (mm)	180
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	3400 r/min
Basic dynamic load rating (C)	291 kN
Basic static load rating	330 kN

(C0)	
------	--