



## Bearing No. NUP313EM

S	1,5 mm
D	140 mm
r	2.1
C	33 mm
B	33 mm
d	65 mm
Fw	82,5 mm
D_	140
rb	2
B_	33
ra	2
C0	191
r1	2.1
da	76
Z_	13
DE_	124.5
DA_	21
DI_	82.5
mass	2.64
SDM_	103.5
SBRG	3
yobi	NUP313EM
KBRG	4165
LangID	1
r min.	2,1 mm
db max	80
dd min	93
Db max	129 mm
ALPHA_	0
db min	76 mm

C_conv	181000
Weight	2,56 Kg
dc min	85
TSR rpm	5300
D_a max	129
GRS rpm	4300
hidYobi	NUP313EM
Oil rpm	5300
ra max.	2 mm
r1 min.	2,1 mm
da min.	76 mm
Da max.	129 mm
db max.	80 mm
rb max.	2 mm
Category	Bearings
hidTable	ecat_NSCLDR
Macha rpm	8500
Size (mm)	65x140x33
Inventory	0.0
Width (mm)	33
Prod_Type3	CRB_SR_NUP
Product Group	B04144
Bearing number	NUP313EM
Manufacturer Name	NSK
Weight / Kilogram	2.23
Bore Diameter (mm)	65
Outer Diameter (mm)	140
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	4300 r/min
Basic dynamic load rating (C)	181 kN
Basic static load rating	191 kN

(C0)	
------	--