


Bearing No. RSAO100



N	32 mm
d	100 mm
A	130 mm
H	145 mm
J	375 mm
L	440 mm
N1	47 mm
S1	70 mm
d3	145 mm
A1	94 mm
B1	109,5 mm
H1	65 mm
H2	280 mm
Noun	Bearing
Bore	3.937 Inch   100 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	41 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	90.39
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Heavy Series   Extended Inner

	Race   With Set Screw
Bearing number	RSAO100
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 100MM Bore; 145MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; Relubricatable; Cast Iron; Double Land Riding Rubber Contact; Non-expansion
Length Thru Bore	4.311 Inch   109.5 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	47.851
Bore Diameter (mm)	100
Insert Part Number	GNE100KRRB
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	0 Inch   0Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
Base to Center Height	5.709 Inch   145 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RSAO100
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	14.8 Inch   375Millimeter

Basic dynamic load rating (C)	174 kN
Nominal Bolt Center to Center	14.8 Inch   375 Millimeter