




Bearing No. NKIA5906

D	47 mm
d	30 mm
B	23 mm
F	35 mm
m	147 g / Weight
Noun	Bearing
Bore 1	1.181 Inch 30 Millimeter
Bore 2	1.181 Inch 30 Millimeter
Height	0.906 Inch 23 Millimeter
Banded	No
UNSPSC	31171537
Category	Thrust Roller Bearings
Inventory	0.0
Size (mm)	30x47x23
Width (mm)	23
Weight / LBS	0.324
Inch - Metric	Metric
Cage Material	Steel
Self Aligning	No
Product Group	B00234
C _a	5900 N / Dynamic load rating (axial)
n _G	12700 1/min / Limiting speed
C _r	28500 N / Dynamic load rating (radial)
C _{ur}	6400 N / Fatigue limit load, radial
Keyword String	Combination

C_{0r}	35500 N / Static load rating (radial)
C_{0a}	11200 N / Static load rating (axial)
Bearing number	NKIA5906
C_{ua}	495 N / Fatigue limit load, axial
Thrust Bearing	Yes
Precision Class	ABEC 1 ISO P0
r_{min}	0,3 mm
Rolling Element	Combination - Needle Roller and Thrust Ball Bearing
Outside Diameter	1.85 Inch 47 Millimeter
Long Description	30MM Bore 1; 30MM Bore 2; 47MM Outside Diameter; 23MM Height; Combination - Needle Roller and Thrust Ball Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller
Manufacturer URL	http://www.ina.com
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.15
Bore Diameter (mm)	30
Outer Diameter (mm)	47
Minimum Buy Quantity	N/A
Component Description	Roller Assembly plus Raceways
Harmonized Tariff Code	8482.80.00.40
Manufacturer Item Number	NKIA5906
Single or Double Direction	Single Direction

Overall Height with Aligning Washer	0 Inch 0 Millimeter
--	-----------------------