




Bearing No. NKIA5912

D	85 mm
d	60 mm
B	34 mm
F	68 mm
m	590 g / Weight
Noun	Bearing
Height	1.339 Inch 34 Millimeter
Banded	No
Bore 2	2.362 Inch 60 Millimeter
Bore 1	2.362 Inch 60 Millimeter
UNSPSC	31171537
Category	Thrust Roller Bearings
Inventory	0.0
Size (mm)	60x85x34
Width (mm)	34
Weight / LBS	1.301
Cage Material	Steel
Inch - Metric	Metric
Product Group	B04144
n_G	6800 1/min / Limiting speed
C_a	12400 N / Dynamic load rating (axial)
Self Aligning	No
C_r	68000 N / Dynamic load rating (radial)
Keyword String	Combination
Thrust Bearing	Yes
Bearing number	NKIA5912

C_{ua}	1410 N / Fatigue limit load, axial
C_{ur}	18800 N / Fatigue limit load, radial
C_{0a}	32000 N / Static load rating (axial)
C_{0r}	108000 N / Static load rating (radial)
r_{min}	1 mm
Precision Class	ABEC 1 ISO P0
Rolling Element	Combination - Needle Roller and Thrust Ball Bearing
Long Description	60MM Bore 1; 60MM Bore 2; 85MM Outside Diameter; 34MM Height; Combination - Needle Roller and Thrust Ball Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller
Outside Diameter	3.346 Inch 85 Millimeter
Manufacturer URL	http://www.ina.com
Weight / Kilogram	0.59
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	60
Outer Diameter (mm)	85
Minimum Buy Quantity	N/A
Component Description	Roller Assembly plus Raceways
Harmonized Tariff Code	8482.80.00.40
Manufacturer Item Number	NKIA5912
Single or Double Direction	Single Direction

Overall Height with Aligning Washer	0 Inch 0 Millimeter
--	-----------------------