


Bearing No. RSAO80



N	25,5 mm
d	80 mm
A	110 mm
H	116 mm
J	315 mm
L	390 mm
N1	44,5 mm
S1	59,7 mm
d3	118 mm
A1	76 mm
B1	93,6 mm
H1	50 mm
H2	226 mm
Noun	Bearing
Bore	3.15 Inch 80 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	22,5 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	49.604
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Heavy Series Extended Inner Race With Set Screw

Bearing number	RSAO80
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Length Thru Bore	3.685 Inch 93.6 Millimeter
Manufacturer URL	http://www.ina.com
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 80MM Bore; 115.9MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; Relubricatable; Cast Iron; Double Land Riding Rubber Contact; Non-expansion
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	1.413
Bore Diameter (mm)	80
Insert Part Number	GNE80KRRB
Bolt Spacing Maximum	0 Inch 0Millimeter
Bolt Spacing Minimum	0 Inch 0Millimeter
Minimum Buy Quantity	N/A
Base to Center Height	4.563 Inch 115.9 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RSAO80
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	12.4 Inch 315Millimeter
Basic dynamic load rating (C)	123 kN

Nominal Bolt Center to Center	12.4 Inch 315 Millimeter
-------------------------------	----------------------------