


Bearing No. RSAO90



N	28 mm
d	90 mm
A	120 mm
H	130 mm
J	340 mm
L	410 mm
N1	54 mm
S1	65,5 mm
d3	132 mm
A1	84 mm
B1	101 mm
H1	57 mm
H2	250 mm
Noun	Bearing
Bore	3.543 Inch   90 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	29,5 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	65.036
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Heavy Series   Extended Inner

	Race   With Set Screw
Bearing number	RSAO90
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Length Thru Bore	3.976 Inch   101 Millimeter
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 90MM Bore; 130.2MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; Relubricatable; Cast Iron; Double Land Riding Rubber Contact; Non-expansion
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	29.53
Insert Part Number	GNE90KRRB
Bore Diameter (mm)	90
Bolt Spacing Minimum	0 Inch   0Millimeter
Minimum Buy Quantity	N/A
Bolt Spacing Maximum	0 Inch   0Millimeter
Base to Center Height	5.126 Inch   130.2 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RSAO90
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	13.4 Inch   340Millimeter

Nominal Bolt Center to Center	13.4 Inch   340 Millimeter
Basic dynamic load rating (C)	143 kN