




Bearing No. NKIA5913

D	90 mm
d	65 mm
B	34 mm
F	72 mm
m	635 g / Weight
Noun	Bearing
Height	1.339 Inch 34 Millimeter
Bore 1	2.559 Inch 65 Millimeter
Bore 2	2.559 Inch 65 Millimeter
Banded	No
UNSPSC	31171537
Category	Thrust Roller Bearings
Inventory	0.0
Size (mm)	65x90x34
Width (mm)	34
Weight / LBS	1.4
Inch - Metric	Metric
Cage Material	Steel
Self Aligning	No
Product Group	B00234
C _a	12800 N / Dynamic load rating (axial)
n _G	6300 1/min / Limiting speed
C _r	69000 N / Dynamic load rating (radial)
C _{ur}	19500 N / Fatigue limit load, radial
Keyword String	Combination

C_{0r}	112000 N / Static load rating (radial)
C_{0a}	34000 N / Static load rating (axial)
Bearing number	NKIA5913
C_{ua}	1510 N / Fatigue limit load, axial
Thrust Bearing	Yes
Precision Class	ABEC 1 ISO P0
r_{min}	1 mm
Rolling Element	Combination - Needle Roller and Thrust Ball Bearing
Outside Diameter	3.543 Inch 90 Millimeter
Long Description	65MM Bore 1; 65MM Bore 2; 90MM Outside Diameter; 34MM Height; Combination - Needle Roller and Thrust Ball Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller
Manufacturer URL	http://www.ina.com
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.76
Bore Diameter (mm)	65
Outer Diameter (mm)	90
Minimum Buy Quantity	N/A
Component Description	Roller Assembly plus Raceways
Harmonized Tariff Code	8482.80.00.40
Manufacturer Item Number	NKIA5913
Single or Double	Single Direction



Direction	
Overall Height with Aligning Washer	0 Inch 0 Millimeter