



Bearing No. FNT-1226

D	26 mm
d	12 mm
T	2 mm
Eb	14.0 mm
Cu	2.75
Ca	9.92
D1	-
Dw	2
Dc	26
Ea	25.0 mm
C0a	29.0
Dc1	12
Noun	Roller Assembly
D,d1	26
h(mm)	-
a(mm)	0.50
Bore 1	0.472 Inch   12 Millimeter
Banded	No
Bore 2	0.472 Inch   12 Millimeter
UNSPSC	31171500
Height	0.079 Inch   2 Millimeter
Weight	0.004 Kg
h1(mm)	1.00
ra max.	0.3 mm
rs(min)	-
ra(max)	0.3
Category	Thrust Roller Bearings
Oil lub.	15000
Inventory	0.0

Size (mm)	12x26x2
Width (mm)	2
Bearing No.	FNT-1226
Weight / LBS	0.009
Self Aligning	No
Product Group	B04144
Cage Material	Steel
Inch - Metric	Metric
Bearing number	FNT-1226
Thrust Bearing	Yes
Keyword String	Thrust Needle
Other Features	Single Row   Two Piece Cage
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1   ISO P0
Long Description	12MM Bore 1; 12MM Bore 2; 26MM Outside Diameter; 2MM Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1   ISO P0; Roller Assembly Only
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Outside Diameter	1.024 Inch   26 Millimeter
(Refer.)Mass(kg)	-
Weight / Kilogram	0.004
Manufacturer Name	KOYO
Bore Diameter (mm)	12
Washer designation	LS1226
Outer Diameter (mm)	26
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only

Harmonized Tariff Code	8482.99.25.40
Manufacturer Item Number	FNT-1226
Single or Double Direction	Single Direction
Basic static load rating (C0)	29.0 kN
Basic dynamic load rating (C)	9.92 kN
Washer designation Shaft piloted	-
Overall Height with Aligning Washer	0 Inch   0 Millimeter
Washer designation Housing piloted	-