



Bearing No. FNT-1528

D	28 mm
d	15 mm
T	2 mm
Eb	17.0 mm
Cu	3.00
Ca	10.2
D1	16
Dw	2
Dc	28
Ea	27.0 mm
C0a	31.3
Dc1	15
Noun	Roller Assembly
D,d1	28
h(mm)	2.75
a(mm)	0.50
Bore 1	0.591 Inch 15 Millimeter
Banded	No
Bore 2	0.591 Inch 15 Millimeter
UNSPSC	31171500
Height	0.079 Inch 2 Millimeter
Weight	0.004 Kg
h1(mm)	1.00
ra max.	0.3 mm
rs(min)	0.30
ra(max)	0.3
Category	Thrust Roller Bearings
Oil lub.	15000
Inventory	0.0

Size (mm)	15x28x2
Width (mm)	2
Bearing No.	FNT-1528
Weight / LBS	0.009
Self Aligning	No
Product Group	B04144
Cage Material	Steel
Inch - Metric	Metric
Bearing number	FNT-1528
Other Features	Single Row Two Piece Cage
Thrust Bearing	Yes
Keyword String	Thrust Needle
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1 ISO P0
(Refer.)Mass(kg)	0.0100
Outside Diameter	1.102 Inch 28 Millimeter
Long Description	15MM Bore 1; 15MM Bore 2; 28MM Outside Diameter; 2MM Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller Assembly Only
Manufacturer URL	http://www.koyousa.com
Manufacturer Name	KOYO
Weight / Kilogram	0.004
Bore Diameter (mm)	15
Washer designation	LS1528
Outer Diameter (mm)	28
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only

Harmonized Tariff Code	8482.99.25.40
Manufacturer Item Number	FNT-1528
Single or Double Direction	Single Direction
Basic static load rating (C0)	31.3 kN
Basic dynamic load rating (C)	10.2 kN
Washer designation Shaft piloted	WS.81102
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Washer designation Housing piloted	GS.81102