



Bearing No. FNT-1730

D	30 mm
d	17 mm
T	2 mm
Eb	19.0 mm
Cu	3.35
Ca	10.8
D1	18
Dw	2
Dc	30
Ea	29.0 mm
C0a	34.8
Dc1	17
Noun	Roller Assembly
D,d1	30
h(mm)	2.75
a(mm)	0.50
Height	0.079 Inch   2 Millimeter
Banded	No
Bore 1	0.669 Inch   17 Millimeter
UNSPSC	31171500
Bore 2	0.669 Inch   17 Millimeter
Weight	0.004 Kg
h1(mm)	1.00
ra max.	0.3 mm
rs(min)	0.30
ra(max)	0.3
Category	Thrust Roller Bearings
Oil lub.	14000
Inventory	0.0

Size (mm)	17x30x2
Width (mm)	2
Bearing No.	FNT-1730
Weight / LBS	0.009
Self Aligning	No
Product Group	B04144
Cage Material	Steel
Inch - Metric	Metric
Bearing number	FNT-1730
Thrust Bearing	Yes
Keyword String	Thrust Needle
Other Features	Single Row   Two Piece Cage
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1   ISO P0
Long Description	17MM Bore 1; 17MM Bore 2; 30MM Outside Diameter; 2MM Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1   ISO P0; Roller Assembly Only
Outside Diameter	1.181 Inch   30 Millimeter
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
(Refer.)Mass(kg)	0.011
Weight / Kilogram	0.004
Manufacturer Name	KOYO
Bore Diameter (mm)	17
Washer designation	LS1730
Outer Diameter (mm)	30
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only

Harmonized Tariff Code	8482.99.25.40
Manufacturer Item Number	FNT-1730
Single or Double Direction	Single Direction
Basic static load rating (C0)	34.8 kN
Basic dynamic load rating (C)	10.8 kN
Washer designation Shaft piloted	WS.81103
Overall Height with Aligning Washer	0 Inch   0 Millimeter
Washer designation Housing piloted	GS.81103