



Bearing No. FNTA-7095

D	95 mm
d	70 mm
T	4 mm
Eb	73.0 mm
Cu	35.3
Ca	66.6
D1	72
Dw	4
Dc	95
Ea	93.0 mm
C0a	333
Dc1	70
Noun	Roller Assembly
D,d1	95
h(mm)	5.25
a(mm)	1.50
Bore 2	2.756 Inch 70 Millimeter
Banded	No
Height	0.157 Inch 4 Millimeter
UNSPSC	31171500
Bore 1	2.756 Inch 70 Millimeter
Weight	0.057 Kg
h1(mm)	1.00
ra max.	0.6 mm
rs(min)	1.00
ra(max)	0.6
Category	Thrust Roller Bearings
Oil lub.	4400
Inventory	0.0

Size (mm)	70x95x4
Width (mm)	4
Bearing No.	FNTA-7095
Weight / LBS	0.126
Self Aligning	No
Product Group	B04144
Cage Material	Steel
Inch - Metric	Metric
Bearing number	FNTA-7095
Thrust Bearing	Yes
Other Features	Single Row Two Piece Cage
Keyword String	Thrust Needle
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1 ISO P0
Long Description	70MM Bore 1; 70MM Bore 2; 95MM Outside Diameter; 4MM Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller Assembly Only
Outside Diameter	3.74 Inch 95 Millimeter
Manufacturer URL	http://www.koyousa.com
(Refer.)Mass(kg)	0.133
Weight / Kilogram	0.06
Manufacturer Name	KOYO
Bore Diameter (mm)	70
Washer designation	LS7095
Outer Diameter (mm)	95
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only
Harmonized Tariff Code	8482.99.25.40

Manufacturer Item Number	FNTA-7095
Single or Double Direction	Single Direction
Basic static load rating (C0)	333 kN
Basic dynamic load rating (C)	66.6 kN
Washer designation Shaft piloted	WS.81114
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Washer designation Housing piloted	GS.81114