


Bearing No. TASE35-N



N	14 mm
d	35 mm
A	45 mm
H	47,6 mm
J	126 mm
L	163 mm
N1	21 mm
S1	32,5 mm
d3	51 mm
A1	27 mm
B1	51,3 mm
H1	19 mm
H2	93 mm
Noun	Bearing
Bore	1.378 Inch   35 Millimeter
Seals	Double Triply
UNSPSC	31171511
Weight	1,65 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	3.749
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Radial   Standard Shaft Height   Metric   With Set Screw

Bearing number	TASE35-N
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 35MM Bore; 47.6MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; 122.1MM Minimum Bolt Spacing; 137.9MM Maximum Bolt Spacing; Relubricatable; Cast Iron; Double Triply
Length Thru Bore	2.012 Inch   51.1 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	1.928
Bore Diameter (mm)	35
Insert Part Number	GE35KPPB3
Bolt Spacing Minimum	4.807 Inch   122.1Millimeter
Bolt Spacing Maximum	5.429 Inch   137.9Millimeter
Minimum Buy Quantity	N/A
Base to Center Height	1.874 Inch   47.6 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	TASE35
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Basic dynamic load rating (C)	25,5 kN

Nominal Bolt Center to Center	5 Inch   127 Millimeter
-------------------------------	-------------------------