


Bearing No. TASE45



N	14 mm
d	45 mm
A	48 mm
H	54 mm
J	150 mm
L	192 mm
N1	29 mm
S1	35,1 mm
d3	63 mm
A1	32 mm
B1	56,5 mm
H1	21,5 mm
H2	107 mm
Noun	Bearing
Bore	1.772 Inch 45 Millimeter
Seals	Double Triply
UNSPSC	31171511
Weight	2,28 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	5.292
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Standard Shaft Height With Set Screw

Bearing number	TASE45
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Manufacturer URL	http://www.ina.com
Housing Material	Cast Iron
Length Thru Bore	2.217 Inch 56.3 Millimeter
Long Description	2 Bolt Pillow Block; 45MM Bore; 54MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; 136.5MM Minimum Bolt Spacing; 160.5MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Triply;
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	2.706
Bore Diameter (mm)	45
Insert Part Number	GE45KPPB3
Bolt Spacing Maximum	6.319 Inch 160.5Millimeter
Bolt Spacing Minimum	5.374 Inch 136.5Millimeter
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Base to Center Height	2.126 Inch 54 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	TASE45
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to	0 Inch 0Millimeter

Center	
Basic dynamic load rating (C)	32,5 kN
Nominal Bolt Center to Center	5.8 Inch 146.5 Millimeter