


Bearing No. TASE50-N



N	18 mm
d	50 mm
A	54 mm
H	57,2 mm
J	158 mm
L	200 mm
N1	23 mm
S1	38,2 mm
d3	69 mm
A1	34 mm
B1	62,8 mm
H1	21,5 mm
H2	115 mm
Noun	Bearing
Bore	1.969 Inch 50 Millimeter
Seals	Double Triply
UNSPSC	31171511
Weight	2,8 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	7.056
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Radial Standard Shaft Height Metric With Set Screw

Bearing number	TASE50-N
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Manufacturer URL	http://www.ina.com
Housing Material	Cast Iron
Length Thru Bore	2.469 Inch 62.7 Millimeter
Long Description	2 Bolt Pillow Block; 50MM Bore; 57.2MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; 151.5MM Minimum Bolt Spacing; 163.5MM Maximum Bolt Spacing; Relubricatable; Cast Iron; Double Triply
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	3.308
Bore Diameter (mm)	50
Insert Part Number	GE50KPPB3
Bolt Spacing Maximum	6.437 Inch 163.5Millimeter
Bolt Spacing Minimum	5.965 Inch 151.5Millimeter
Minimum Buy Quantity	N/A
Base to Center Height	2.252 Inch 57.2 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	TASE50
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Nominal Bolt Center to Center	6.3 Inch 160 Millimeter

Basic dynamic load rating (C)	35 kN
-------------------------------	-------