



Bearing No. TCJT25-N

d	25 mm
V	70 mm
U	46 mm
A	26,5 mm
H	124 mm
J	99 mm
L	70 mm
N	11,5 mm
A2	19 mm
d3	37,5 mm
A1	11 mm
B1	44,5 mm
Bore	0.984 Inch 25 Millimeter
Noun	Bearing
Seals	Double Triply
Weight	0,64 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	3.898 Inch 99 Millimeter
Weight / LBS	1.544
Product Group	M06110
Inch - Metric	Metric
Housing Style	2 Bolt Flange Block
Relubricatable	Yes
Keyword String	Flanged
Other Features	Single Row Radial Extended Inner Race

	Metric With Set Screw
Bearing number	TCJT25-N
Mounting Bolts	11.5 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Manufacturer URL	http://www.ina.com
Long Description	2 Bolt Flange Block; 25MM Bore; 99MM Bolt Circle; 99MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 44.4MM Length Thru Bore; Relubricatable; Double Triply Seal
Length Thru Bore	1.748 Inch 44.4 Millimeter
Housing Material	Cast Iron
Weight / Kilogram	0.7
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	25
Insert Part Number	GE25KPPB3
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	2
Manufacturer Item Number	TCJT25
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Expansion / Non- expansion	Non-expansion
Basic dynamic load rating (C)	14 kN
Nominal Bolt Circle	3.9 Inch 99 Millimeter

Diameter Round	
----------------	--