



Bearing No. TCJT40-N

J	143,5 mm
N	14 mm
d	40 mm
V	105 mm
U	59,1 mm
A	34,5 mm
H	172 mm
L	105 mm
d3	58 mm
A1	13 mm
B1	56,5 mm
A2	24 mm
Noun	Bearing
Bore	1.575 Inch 40 Millimeter
Seals	Double Triply
Weight	1,7 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	5.65 Inch 143.5 Millimeter
Weight / LBS	3.969
Inch - Metric	Metric
Housing Style	2 Bolt Flange Block
Product Group	M06110
Bearing number	TCJT40-N
Relubricatable	Yes
Keyword String	Flanged
Other Features	Single Row Radial

	Extended Inner Race Metric With Set Screw
Mounting Bolts	14 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Long Description	2 Bolt Flange Block; 40MM Bore; 143.5MM Bolt Circle; 143.5MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 56.3MM Length Thru Bore; Relubricatable; Double Triply Seal
Length Thru Bore	2.217 Inch 56.3 Millimeter
Manufacturer URL	http://www.ina.com
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	2.048
Insert Part Number	GE40KPPB3
Bore Diameter (mm)	40
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	TCJT40
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	32,5 kN
Nominal Bolt Circle	5.6 Inch 143.5

Diameter Round	Millimeter
----------------	------------