



**Bearing No. TCJT50-N**

J	157 mm
A	39 mm
N	18 mm
L	116 mm
H	190 mm
U	66,2 mm
V	116 mm
d	50 mm
d3	69 mm
A1	13 mm
B1	62,8 mm
A2	28 mm
Noun	Bearing
Bore	1.969 Inch   50 Millimeter
Seals	Double Triply
Weight	2,19 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	6.181 Inch   157 Millimeter
Weight / LBS	5.513
Inch - Metric	Metric
Housing Style	2 Bolt Flange Block
Product Group	M06110
Bearing number	TCJT50-N
Relubricatable	Yes
Keyword String	Flanged
Other Features	Single Row   Radial

	Extended Inner Race   Metric   With Set Screw
Mounting Bolts	18 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Long Description	2 Bolt Flange Block; 50MM Bore; 157MM Bolt Circle; 157MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 62.7MM Length Thru Bore; Relubricatable; Double Triply Seal
Length Thru Bore	2.469 Inch   62.7 Millimeter
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	2.5
Insert Part Number	GE50KPPB3
Bore Diameter (mm)	50
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	TCJT50
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Basic dynamic load rating (C)	35 kN
Nominal Bolt Circle Diameter Round	6.2 Inch   157 Millimeter

