



Bearing No. 16007

D	62 mm
d	35 mm
B	9 mm
C	9 mm
f0	15.7
Cu	0.500
Cr	15.3
C0r	8.85
Bore	1.378 Inch 35 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,11 Kg
r(min)	0.3
r min.	0,3 mm
da min.	37 mm
ra(max)	0.3
Da max.	60 mm
Da(max)	60
da(min)	37
ra max.	0,3 mm
Category	Single Row Ball Bearing
Oil lub.	13000
Inventory	0.0
Enclosure	Open
Size (mm)	35x62x9
Snap Ring	No
Width (mm)	9
Grease lub.	11000
Bearing No.	16007

Weight / LBS	0.2425
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	16007
Other Features	Deep Groove
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
(Refer.)Mass(kg)	0.110
Manufacturer URL	http://www.koyousa.com
Long Description	35MM Bore; 62MM Outside Diameter; 9MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.354 Inch 9 Millimeter
Outside Diameter	2.441 Inch 62 Millimeter
Manufacturer Name	KOYO
Weight / Kilogram	0
Internal Clearance	C0-Medium
Bore Diameter (mm)	35
Outer Diameter (mm)	62
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	13000 r/min
Internal Special Features	No
(Grease) Lubrication	11000 r/min

Speed	
Basic static load rating (C0)	8,85 kN
Basic dynamic load rating (C)	12,2 kN
Maximum Capacity / Filling Slot	No