



Bearing No. NUP219EM

S	1,4 mm
D	170 mm
r	2.1
C	32 mm
B	32 mm
d	95 mm
Fw	112,5 mm
D_	170
rb	2
B_	32
ra	2
C0	265
r1	2.1
da	106
Z_	17
DE_	154.5
DA_	21
DI_	112.5
mass	3.3
SDM_	133.5
SBRG	2
yobi	NUP219EM
KBRG	4165
LangID	1
r min.	2,1 mm
db max	110
dd min	123
Db max	159 mm
ALPHA_	0
db min	106 mm

C_conv	220000
Weight	3,17 Kg
dc min	116
TSR rpm	4300
D_a max	159
GRS rpm	3800
hidYobi	NUP219EM
Oil rpm	4500
ra max.	2 mm
r1 min.	2,1 mm
da min.	106 mm
Da max.	159 mm
db max.	110 mm
rb max.	2 mm
Category	Bearings
hidTable	ecat_NSCLDR
Macha rpm	6700
Size (mm)	95x170x32
Inventory	0.0
Width (mm)	32
Prod_Type3	CRB_SR_NUP
Product Group	B04144
Bearing number	NUP219EM
Manufacturer Name	NSK
Weight / Kilogram	2.8
Bore Diameter (mm)	95
Outer Diameter (mm)	170
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	3800 r/min
Basic dynamic load rating (C)	220 kN
Basic static load rating	265 kN

(C0)	
------	--