



Bearing No. NUP215EM

S	1,4 mm
D	130 mm
r	1.5
C	25 mm
B	25 mm
d	75 mm
Fw	88,5 mm
D_	130
rb	1.5
B_	25
ra	1.5
C0	156
r1	1.5
da	83
Z_	18
DE_	118.5
DA_	15
DI_	88.5
mass	1.47
SDM_	103.5
SBRG	2
yobi	NUP215EM
KBRG	4165
LangID	1
r min.	1,5 mm
db max	86
dd min	96
Db max	122 mm
ALPHA_	0
db min	83 mm

C_conv	130000
Weight	1,44 Kg
dc min	90
TSR rpm	5300
D_a max	122
GRS rpm	4800
hidYobi	NUP215EM
Oil rpm	6000
ra max.	1,5 mm
r1 min.	1,5 mm
da min.	83 mm
Da max.	122 mm
db max.	86 mm
rb max.	1,5 mm
Category	Bearings
hidTable	ecat_NSCLDR
Macha rpm	8500
Size (mm)	75x130x25
Inventory	0.0
Width (mm)	25
Prod_Type3	CRB_SR_NUP
Product Group	B04144
Bearing number	NUP215EM
Manufacturer Name	NSK
Weight / Kilogram	1.5
Bore Diameter (mm)	75
Outer Diameter (mm)	130
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	4800 r/min
Basic dynamic load rating (C)	130 kN
Basic static load rating	156 kN

(C0)	
------	--