



Bearing No. NUP214EM

S	1,4 mm
D	125 mm
r	1.5
C	24 mm
B	24 mm
d	70 mm
Fw	83,5 mm
D_	125
rb	1.5
B_	24
ra	1.5
C0	137
r1	1.5
da	78
Z_	17
DE_	113.5
DA_	15
DI_	83.5
mass	1.34
SDM_	98.5
SBRG	2
yobi	NUP214EM
KBRG	4165
LangID	1
r min.	1,5 mm
db max	81
dd min	92
Db max	117 mm
ALPHA_	0
db min	78 mm

C_conv	119000
Weight	1,29 Kg
dc min	86
TSR rpm	5600
D_a max	117
GRS rpm	5000
hidYobi	NUP214EM
Oil rpm	6300
ra max.	1,5 mm
r1 min.	1,5 mm
da min.	78 mm
Da max.	117 mm
db max.	81 mm
rb max.	1,5 mm
Category	Bearings
hidTable	ecat_NSCLDR
Macha rpm	9000
Size (mm)	70x125x24
Inventory	0.0
Width (mm)	24
Prod_Type3	CRB_SR_NUP
Product Group	B04144
Bearing number	NUP214EM
Manufacturer Name	NSK
Weight / Kilogram	1.3
Bore Diameter (mm)	70
Outer Diameter (mm)	125
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	5000 r/min
Basic dynamic load rating (C)	119 kN
Basic static load rating	137 kN

(C0)	
------	--